SABOURAUDIA

Journal of the International Society for
Human and Animal Mycology

Volume 2

1962-1963

Edited by
J. C. GENTLES

E. & S. LIVINGSTONE LTD.
EDINBURGH AND LONDON

INTERNATIONAL SOCIETY FOR HUMAN AND ANIMAL MYCOLOGY

President
N. F. Conant

General Secretary
R. Vanbreuseghem
Institut de Médecine Tropicale,
155 rue Nationale,
Antwerp, Belgium.

Editor
J. C. Gentles

Vice-Presidents
L. Ajello
E. Drouhet
C. da Silva Lacaz
T. Tsuchiya

Treasurer
A. P. E. Tritsmans,
Nationalestraat 155,
Antwerp,
Belgium.

SOCIÉTÉ INTERNATIONALE DE MYCOLOGIE HUMAINE ET ANIMALE

EDITORIAL BOARD

W. Kaplan (U.S.A.)
P. N. Kaschkin (U.S.S.R.)
C. da Silva Lacaz (Brazil)
F. Mariat (France)
A. González Ochoa (Mexico)
H. P. R. Seeliger (Germany)
T. Tsuchiya (Japan)
G. A. de Vries (Netherlands)

SUBJECT INDEX

Actinomyces bovis, histochemistry of granules, 264
Actinomycetes, pathogenicity of aerobic species in mice, 176
Allescheria boydii, isolated in Trinidad, 18
— — UV light sensitivity of, 197
Alloxan monohydrate, pathogenesis of *Torulopsis glabrata* in mice treated with, 87
Ambient temperature, effect in experimental histoplasmosis, 31
— — effect in sporotrichosis, 56
2 Aminostilbamidine, its reduction of protective action by immune globulin, 23
Amphotericin, synergistic effect with immune globulin, 23
Antibiotics, synergism between immune globulin and, 23
Aspergillus fumigatus, UV light sensitivity of, 197
— — in throats of geese and gulls, 238
— niger, UV light sensitivity of, 197
Arthroderma cuniculi, sp. nov. from soil in Scotland, 185
— multifidum, sp. nov. from soil in Scotland, 185

Beauvaria bassiana, in tortoises, 80
Blastomycosis, in mice, effect of synergism between immune globulin and antibiotics on, 23
Blastomyces dermatitidis, experimental infections in mice, 23

Candida albicans, in baboons, 8
— — media for producing chlamydospores, 96, 171
— — studies by electrophoresis and double diffusion, 164
— — identification in egg-white slide preparation, 205
— — UV light sensitivity of, 197
— — antigenic groups of, 201
— — in serological studies, 209
— — pathogenesis of experimental infections, 271
— — variations in virulence of strains, 271
— curvata, in serological studies, 211
— guilliermondii, in baboons, 8
— humicola, in serological studies, 211
— krusei, in baboons, 8
— parapsilosis, in baboons, 8
— stellatoidea, 201
— — identification, 205
— tropicalis, 201
Cephalosporium sp., UV light sensitivity of, 197
Cladosporium wernecki, UV light sensitivity of, 197
— trichoides, UV light sensitivity of, 197
Coccidioides immitis, immunogenesis of spherules of, 131
Coccidioidomycosis, enhancement in mice with testosterone and oestradiol, 47
— immuno-diffusion in diagnosis of, 284
Cortisone, pathogenesis of *Torulopsis glabrata* in mice treated with, 87
Cryptococcus neoformans, isolated in Trinidad, 18
— — UV light sensitivity of, 198
— — serological identification of, 209
Curvularia lunata, in mycotic keratitis, 35
Cysteine, effect on growth of dermatophytes, 40

Dermatophytes, from the Congo and Ruanda-Burundi, 215
— geographic distribution in Brazil, 108
Double diffusion, studies in *Candida albicans*, 164

Electrophoresis, studies in *Candida albicans*, 164
Endomycopsis selenospora, immuno-chemistry of, 146
Endomyces magnusii, immuno-chemistry of, 146
—lactis, immuno-chemistry of, 146
Epidemiology of skin diseases in Africa, research request, 44
Epidermophyton floccosum, growth in keratin, 115
— — in Brazil, 108
— — UV light sensitivity of, 197

Fungistatic activity, of normal human serum, 1
Fusarium sp., UV light sensitivity of, 197

Geotrichum, gel precipitation studies, 292
— isolation and chemical analysis of polysaccharides, 155
— immuno chemistry of, 146, 155, 292, 303
— morphological and physiological properties, 146
— qualitative and quantitative precipitin reaction studies, 303
— amycelium, 146, 155, 292, 303
— asteroides, 146, 155, 292, 303
— candidum, 146, 155, 292, 303
— hirtum, 146, 155, 292, 303
— javanese, 146, 155, 292, 303
— matalense, 146, 155, 292, 303
— pulmoneum, 146, 155, 292, 303
— versiforme, 146, 155, 292, 303
German-speaking Mycological Society, report, 44
Giberella fujikuroi, UV light sensitivity of, 197
Glenosporella loboi, growth in chick embryo, 12
Glenosporopsis amazonica, growth in chick embryo, 12

Hanseniaspora valbyensis, in baboons, 8
Hedgehogs, *T. terrestre* on, 100
— *T. mentagrophytes* on, 143
Histoplasma capsulatum, associated with bats in Trinidad, 18
— — effect of ambient temperature on, 31
— — from soil in Trinidad, 18
— — saprophytic growth on soil, 18
— — UV light sensitivity of, 198
Histoplasmosis, effect of ambient temperature on, 31
Hormondendrum pedrosoi, UV light sensitivity of, 197

Immune globulin, synergism between antibiotics and, in blastomycosis, 23
Immuno-diffusion, in diagnosis of coccidioidomycosis, 284
Immunogenesis, of spherules of *Coccidioides immitis*, 131
Income and expenditure account, 194

Jorge Lobo's disease, 12

Keloid blastomycosis, growth of causal agents in chick embryo, 12
Keratinomyces ajelloi, decomposition of wool keratin by, 225
— — from soil in Brazil, 108
— — growth on keratin, 115
— — on animals in Brazil, 108
— — on animals in Moravia, 111
Keratinophilia, of dermatophytes and organic sulphur, 40
Keratinophilic fungi, saprophytic growth on keratin, 115
Keratitis, caused by *Curvularia lunata*, 35, 197
— UV light for therapy of, 195
Kwashiorkor children, dermatomycosis in, 215

Microsporum audouinii, in Brazil, 108
— canis, in Brazil, 108
— — in chimpanzees, 268
— — growth on keratin, 115
— — resembling *M. obesum*, 268
— — UV sensitivity of, 197
— cookei, in Brazil, 108
— — in Moravia, 111
— gypseum, on animals in Moravia, 111
— — UV light sensitivity of, 197
— — from soil in Brazil, 108
— — test organism for fungistatic activity, 1
— langeroni, in Congo and Ruanda-Burundi, 215
— obesum, 268
— rivalieri, in Congo and Ruanda-Burundi, a new description, 215
Mucor sp., UV light sensitivity of, 197

Nocardia asteroides, UV light sensitivity of, 197
— — pathogenicity in mice, 176
— brasiliensis, pathogenicity in mice, 176
Nystatin, synergistic effect with immune globulin, 23

Obituary, 317
Oestradiol, in coccidioidomycosis in mice, 47

Paecilomyces fumoso-roseus, in tortoises, 80
Paracoccidioides brasiliensis, growth in chick embryo, 12
— loboi, growth in chick embryo, 12
Penicillium sp., UV light sensitivity of, 197
Pichia membranaefaciens, in baboons, 8
Pulmonary mycosis, in tortoises, 80

R.B. effect, use in identification of *C. albicans*, 205
Reviews:
Alexopoulos, J. & Beneke, E. S., Laboratory Manual for Introductory Mycology, 1962 (by R. Vanbreuseghem), 319
British Medical Bulletin Vol. 18, No. 1, 1962, Genetics of Micro-organisms (by J. C. Gentles), 43
Dermatologia Tropica 1962, new journal (by J. C. Gentles), 43
Gotz, H. & Rieth, H. Die Griseofulvin-behandlung der Dermatomykosen 1962 (by H. P. R. Seeliger), 192
International Scientific Organizations, A guide to their library, documentation, and information services, 1962 (by J. R. Norris), 318
Morton, F. J. & Smith, G. The genera *Scopulariopsis*, *Microascus* and *Doratomyces*, 1963 (by J. C. Gentles), 319
Pinetti, P. *Trichophyton violaceum*, 1962 (by L. Ajello), 114
Schirren, C. & Rieth, H. Hefepilze als Krankheitserreger bei Mensch und Tier, 1963 (by H. P. R. Seeliger), 317

Rhizopus oryzae, UV light sensitivity of, 198
Rhodotorula glutinis, in serological studies, 209
— minuta, in serological studies, 209
— sp., UV light sensitivity of, 198
Ringworm, in hedgehogs, 143
— in chimpanzees, 208
— in Congo and Ruanda-Burundi, 215

Saccharomyces transvaalensis, in baboons, 8
Serum, fungistatic activity of human, 1
Society News, 44, 193, 320
Soil, isolation of dermatophytes from, 14, 108
South American blastomycosis, growth of causal agents in chick embryo, 12
Sporotrichosis, mycological studies and pathogenesis of mexican cultures, 60
— effect of temperature on, 56
Sporotrichum schenckii, effect of temperature on, 56
— — mycology and pathogenesis of, 60
Streptomyces madurae, pathogenicity in mice, 176
— griseus, pathogenicity in mice, 176
— coelicolor, pathogenicity in mice, 176

Technique, for isolation from throats of birds, 238
— for identification of *C. albicans*, 205
— for disruption of *C. immitis* spherules, 131
— immunodiffusion, in diagnosis of coccidioidomycosis, 284
Temperature, effect on histoplasmosis, 31
— effect on sporotrichosis of, 56
Testosterone, effect on coccidioidomycosis in mice, 47
Tinea capitis, in chimpanzees, 268
Torula bergeri, UV light sensitivity of, 197
Torulopsis aeria, in serological studies, 209
— glabrata, in baboons, 8
— — pathogenesis in mice, 87
— pintolopesii, in baboons, 8
Trichophyton concentricum, in Brazil, 108
— equinum, in Brazil, 108

— ferrugineum, in Congo and Ruanda-Burundi, 215
— — in Brazil, 108
— gallinae, in Brazil, 108
— kuryangei, in Congo and Ruanda-Burundi, 215
— megninii, in Brazil, 108
— mentagrophytes, in Brazil, 108
— — growth on keratin, 115
— — from hedgehog, 143
— — in Rumanian soil, 14
— — keratinophilia and organic sulphur, 40
— persicolor, growth on keratin, 115
— quinckeanum, in Rumanian soil, 14
— rubrum, UV light sensitivity of, 197
— — growth on keratin, 115
— — in Brazil, 108
— — keratinophilia and organic sulphur, 40
— schoenleinii, in Brazil, 108
— soudanense, in Congo and Ruanda-Burundi, 215
— terrestre, from animals in Moravia, 111
— — red pigmenting strain on hedgehogs, 100
— — growth on keratin, 115
— tonsurans, in Brazil, 108
— — keratinophilia and organic sulphur, 40
— verrucosum, in Brazil, 108
— — in Ruanda-Burundi, 222
— — growth on keratin, 115
— violaceum, from Congo and Ruanda-Burundi, 215
— — in Brazil, 108
— yaoundei, in Congo and Ruanda-Burundi, 215
Trichosporon, serological studies, 248
— capitatum, 248
— sericeum, 248
— fermentans, 248
— cutaneum, 146, 155, 248, 292, 303
— infestans, 248
— behrendii, 248
— margaritiferum, 248
— pullulans, 248

UV light, sensitivity of fungi to, 195

Wool keratin, decomposition by *Keratinomyces ajelloi*, 225

X-rays, pathogenesis of *Torulopsis glabrata* in mice treated with, 87

Yeasts, intestinal flora in baboons, 8

AUTHOR INDEX

Ajello, L. 35, *see* Reviews
Alteras, I. 14
Andrieu, S. 164

Bailey, Johnsie, W. 284
Beer, J. V. 238
Bevis, M. L. 96
Biguet, J. 164
Brayton, R. G. 271
Buckley, Helen R. 205

Chesters, C. G. C. 225
Chick, E. W. 195
Cojocaru, I. 14
Conti-Diaz, I. A. 31, 56

Dawson, Christine O. 185
Destombes, P. 60
de Vries, G. A. 268
do Carmo-Sousa, Lidia 8
Dvorak, J. 111

Emmons, C. W. 18
English, Mary P. 115
Evolceanu, R. 14

Finkel, G. 271
Forster, R. A. 143

Gentles, J.C. *see* Reviews
Georg, Lucille K. 80

Getty, Ruth E. 80
Gordon, M. A. 23, 171
Greenhall, A. M. 18
Gruft, H. 23

Hasenclever, H. F. 87, 201
Hudnell, A. B. 195
Huppert, M. 284

Kawakita, S. 209
Klokke, A. H. 268
Kong, Yi-chi M. 131

La Touche, C. J. 143
Laurora, N. 96
Lavalle, P. 60
Levine, H. B. 47, 131
Little, G. N. 171
Londero, A. T. 108
Louria, D. B. 271

Mackinnon, J. E. 31, 56
McNall, E. G. 1
Madin, S. H. 47
Mariat, F. 60
Marples, Mary J. 100
Mathison, G. E. 225
Memmesheimer, A. R. 1
Mitchell, W. O. 87, 201
Mohapatra, L. N. 176
Monteiro, E. Lemos 12

Nityananda, K. 35
Norris, J. R. *see* Reviews

Otčenášek, M. 111

Pine, L. 176

Raubitschek, F. 40

Seeliger, H. P. R. 248 *see* Reviews
Schröter, R. 248
Sharp, D. G. 195
Sivasubramaniam, P. 35
Smith, C. E. 131
Smith, J. M. B. 100
Sternberg, T. H. 1

Tilden, Evelyn B. 80
Torheim, Bergljot J. 146, 155, 292, 303
Tran Van Ky, P. 164
Tsuchiya, T. 209

Udagawa, Masako 209